

.308 Win. SWISS P AP


12.7 g/196 gr

The most accurate Armour Piercing round

Extended barrel durability due to patented Projectile design

Coordinated ballistics with SWISS P Ball, Target, Styx Action and Tactical rounds up to 100 m

Militarised and optimised for automatic weapons



Cartridge	7.62×51 / .308 Win.	
Projectile	AP, 12.7 g/196 gr	
Projectile material	tombac jacket, tungsten carbide and lead core	
Ballistic coefficient G1	0.6517 (ICAO)	
Primer	SINOXID	
Case material	CuZn – alloy	
Cartridge weight	26.7 g	
Performance		
Term of reference	C.I.P.	
Mean chamber pressure	max. 4 150 bar	(21 °C)
Temperature range	–54 °C to +52 °C	
Mean muzzle velocity	790 +20/–12 m/s (2 592 +66/–39 fps)	650 mm barrel
Mean muzzle energy (Min–Max)	3 963 J (3 844–4 166 J)	
Accuracy at 300 m	$S_a \leq 35$ mm	
Penetration at 500 m	8 mm steel plate, 400HB	
Packaging		
Standard cardboard box	20rds / cardboard box, 200rds / cardboard box, 10 000rds EU pallet	
Military M2A1 metal box	10rds / cardboard box, 400rds / M2A1 metal box, 24 000rds EU pallet	

Images, drawings, technical details and in particular head stamps are for illustration purpose only, which do not necessarily correspond to actual products. All information and specifications shown in factsheets are non-binding and subject to alterations without prior notice at any time. 01.2023